WARRANTY

This SHARP Calculator was thoroughly inspected and tested piror to shipment. It is important that the operating instructions be carefully read before placing the calculator into use. For a period of one (1) year from the date or purchase by the original customer, SHARP Electronics Corporation will repaire or replace without charge any part of this product (*Parts Excluded From This Warranty Are Listed Under Warranty Exceptions) found to be defective due to materials or workmanship if it is returned either to the place of purchase or to one of the Sharp Factory Service Centers listed on the back cover of this booklet. This warranty is void if this product has been subjected to misuse or abuse, Connection to an improper voltage, Has been tampered with or repaired by an unauthorized person, Or has been damaged due to improper customer packaging.

IMPORTANT:

This warranty is valid only when accompanied at the time of repair by a proof of purchase listing the date of purchase and the model and serial numbers.

*WARRANTY EXCEPTIONS: Batteries, carrying case, carrying strap

NOTE: Shipping charges from the purchaser to a SHARP Factory Service Center will be the sole responsibility of the purchaser.

1. INTRODUCTION



Small, fast, and easy. That's our new handy pocket size EL-8005S. Yet you can perform complicated calculations up to 8 digits.

Printed in Japan

SHAMIRE COMPET INSTRUCTION MAINUTION MAINUTION

CORPORATE HEADQUARTERS AND EXECUTIVE OFFICES:

10 Keystone Place Paramus, New Jersey 07652. Phone: (201) 265-5600

REGIONAL SALES OFFICES AND DISTRIBUTION CENTERS:

Restern: 10 Kaystone Place Paramus, New Jersey 07652. Phone: (201) 265-5600

Michaest: 430 East Plaintigld Road, Country Side, La Grange, Illinois 60525. Phone: (312) \$42-0870

Western: 21580 Wilmington Avenue, Long Beach, California 90810. Phone: (213) 830-4470, 71, 78


SHARP ELECTRONICS CORPORATION



2. OUTSTANDING FEATURES

- ★ Easy-to-read zero suppress system
- * Overflow error check device
- * Easy-to-operate algebraic operation
- ★ Convenient tax/discount calculation
- * Automatic constant calculation
- * Percentage calculation
- * Power calculation
- * Chain multiplication and division
- * Algebraic operation system
- * Approximate results in excess of 8 digits

3. KEY LAYOUT CHART



CAUTION

- 1. When the voltage of the battery is lowered, the display will become dark. In such a case please exchange the battery with new one.
- 2. In case you do not use this calculator for a long time, please take out the battery and preserve it in a dry, cool and shady place.

4. OVERFLOW ERROR

Overflow error occurs in the following cases.

- 1. When the integer portion of the entered number exceeds 8 digits.
- 2. When the integer portion of sum, difference, product or quotient exceeds 8 di
- 3. When a number is divided by zero.

As for the case 1, the upper significant 8 digits and overflow error symbol turn on.

As for the case 2, the upper significant 8 digits of the result is divided by (10000000) and then displayed on the display tube, and an overflow error syn (E) turns on. (The symbol (E) turns on when the result is negative.)

Therefore, the decimal point of the displayed number means the unit of one hund million.


While as for the case 3, the display tube is occupied by a zero and overflow e symbol (E) turns on.

An overflow error electronically interlocks all keys except the c key. An overflow error is released by pressing the key.

But, in case of 1 and 2 is released by pressing the @ key.

5. HOW TO REPLACE THE DRY BATTERY

- 1. First set the power switch at off position.
- 2. Slide the battery cover in the direction of an arrow mark and take it out.
- 3. Put SUM-3E type dry battery (x4) in the unit. Take care not to mistake battery polarity.



6. KEY LAYOUT CHART



7. OPERATIONS

CALCULATION EXAMPLES

(1) Addition & Subtraction

	Examples	Operation
1.	1.23 + 456 - 458 + 3 = 2.23 123 + 456.7 - 3 + 0.9999 + 1.3001 = 579	1.23
۷,	120 1 400,7 4 0 1 0.0000 1 1.0001 4 070	123 13 430.7

(2) Multiplication & Division

	Examples	Operation
1.	3.6 × 42.8 = 154.08	3.6 🖾 42.8 🖪 → 154.08
2.	$(-264) \div 12 = -22$	3 264 3 12 3 → 22

(7) Percentage calculation

	Examples	Operation
1.	100 x (20%) = 20	100 🖾 20 🐼 → 20.
	5 ÷ (9%) = 55.555555	5 🔂 9 % → 55.555555
2.	$5 \times (9\%) = 0.45$	5 🖾 9 % → 0.45
	$5 \times (6\%) = 0.3$	6 ₩ → 0.3
	$5 \times (7\%) = 0.35$	7 🐼 → 0.35
3.	5 ÷ (9%) = 55.555555	5 😝 9 💯 → 55.555555
	6 ÷ (9%) = 66.666666	6 2 → 66.66666
	7 ÷ (9%) = 77.777777	7 🔞 → 77.77777

(8) Approximate calculation

	Examples	Operation
1.	123456 x 78901 = 9740801856	123456 (3) 78901 (3) \rightarrow 97.408018 (97.408018 x 10 ⁸ = 9740801800)

(8) Correcting mistakes

Ex. 1 123 +
$$556$$
 (mistake) 456 (correct) Operation 123 556 456 456 $\rightarrow 579$.

Ex. 3
$$5 \times 8$$
 (mistake) 9 (correct)

Operation
 $5 \times 8 \times 9 \Rightarrow 45$.

(3) Power calculation & Reciprocal calculation

	Examples	Operation
1. 2.	$5^2 = 25, 5^3 = 125, 5^4 = 625$ $1/5 = 0.2$	5 ② □ → 25. □ → 125. □ → 625. 5 □ □ → 0.2

(4) Chain calculation

	Examples	Operation
1.	10 ÷ 5 × 3 = 6	10 🛱 5 🖾 3 🗐 → 6.
2.	$1.1 \times 2.2 \times 3.3 \div 4.4 = 1.815$	1.1 🛛 2.2 🖾 3.3 🖨 4.4 🗐 → 1.815

(5) Tax/discount calculation

	Examples	Operation
1.	100 - 100 x 0.2 = 80	100 ② .2 □ □ → 80.
2.	100 100 x (20%) = 80	100 🔀 20 💯 🗖 🖨 → 80.
3.	100 + 100 x 0.2 = 120	100 図 .2 🗗 🖹 → 120.
4.	100 + 100 x (20%) = 120	100 🔀 20 🔀 🖽 🖪 → 120.

(6) Constant calculation

	Examples	Operation	
1.	1.23456 x 3 = 3.70368 1.23456 x 0.23 = 0.2839488 1.23456 x 103,234.78 = 127,449.52	1.23456 \boxtimes 3 \Longrightarrow 3.70368 .23 \Longrightarrow 0.2839488 103234.78 \Longrightarrow 127449.52	
2.	$(-5) \times 9 = (-45)$ $(-5) \times 6 = (-30)$ $(-5) \times 1.11 = (-5.55)$	G = 5 × 9 = → 45.— 6 = → 30.— 1.11 = → 5.55 —	
3.	$5 \div 9 = 0.55555555555555555555555555555555555$	5 🖨 9 🖨 → 0.5555555 6 🖨 → 0.6666666 18 🖹 → 2.	

8. SPECIFICATIONS

Power source: Dry battery: Operates for 16 hours on four manganese (SUN

dry batteryes ... at 20°C (AM-3 x 4 ... 26H)

(Slightly changes according to the kinds of the batteries and the

of use.)

AC operation with optional AC adaptor (EA-14A).

Display:

Capacity:

Itron

Display 8 digits

Decimal point:

Complete floating decimal point system.

Sign indicator:

Minus sign indicator (-) overflow error indicator (E, E)

Calculations: 4 arithmetic calculations, constant multiplication and division, c

multiplication and division, square calculation, power calculation, tax/discount calculation, reciprocal calculation, percentage cal

tion, mixed calculation.

Temperature:

Dimensions:

0°C~40°C (32°F~104°F)

Components:

LSI, etc.

Power consumption:

DC: 0.45W AC: 2.4W 85(W) x 26(H) x 137.5(D)mm

85(W

3-3/8"(W) x 1-1/32"(H) x 5-7/16"(D)

Weight:

225g (0.495 lbs.) (with dry batteries)

SERVICE CENTER ADDRESS

SHARP ELECTRONICS CORPORATION

10 Keystone Place

Paramus, New Jersey 07652

(201) 265-5600

SHARP ELECTRONICS CORPORATION

214 Harvard Avenue

Boston, Massachusetts 02134

(617) 738-1905

SHARP ELECTRONICS CORPORATION

2139 Wisconsin Avenue, N.W.

Washington, D.C. 20007

(202) 337-8000

SHARP ELECTRONICS CORPORATION

6478 Inter State 85

Norcross, Georgia 30071

(404) 448-5230

SHARP ELECTRONICS CORPORATION

4458 South 84th Street Omaha, Nebraska 68127

(402) 339-1402

SHARP ELECTRONICS CORPORAT

430 East Plainfield Road

Countryside, La Grange, Illinois 6052

(312) 242-0870

SHARP ELECTRONICS CORPORAT

21580 Wilmington Avenue Long Beach, California 90810

(213) 830-4470

SHARP ELECTRONICS CORPORAT

1205 Executive Drive East Richardson, Texas. 75080

(214) 234-1136

SHARP ELECTRONICS CORPORAT

15031 Military Road, S.

Seattle, Washington 98188

(206) 243-3902